Printing date 06.02.2024

Version number 3.0 (replaces version 2.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Hellmanex III
UFI: SW57-30M0-G00Y-2VEX

1.2 Relevant identified uses of the substance or mixture and uses advised against

For industrial and commercial use only.

Application of the substance / the mixture Cleaning material/ Detergent

1.3 Details of the supplier of the safety data sheet

Manufacturer:

Hellma GmbH & Co. KG Klosterrunsstrasse 5 79379 Müllheim Deutschland

Telefon: +49 7631 182 1000 Telefax: +49 7631 182 1011

Supplier:

Hellma GmbH & Co. KG Klosterrunsstrasse 5 79379 Müllheim

Deutschland

Telefon: +49 7631 182 1000 Telefax: +49 7631 182 1011

Further information obtainable from: +49 7631 182 1010; www.hellma.com

1.4 Emergency telephone number:

Giftnotruf der Charité, Berlin: 030/19240

Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-

Holstein (GIZ-Nord) :0551/19 240

Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240

Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen: 0361/730 730

Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin Universitätsklinikum des Saarlandes: 06841/19240

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240

Vergiftungs-Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240

Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



(Contd. on page 2)

Revision: 05.01.2024

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 1)

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

tripotassium phosphate

potassium hydroxide

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label). P321

Store locked up. P405

Dispose of contents/container in accordance with local/regional/national/ P501

international regulations.

2.3 Other hazards

The substances in the mixture do not meet PBT/vPvB criteria according to REACH Annex XIII.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

DE EN

(Contd. on page 3)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

CAS: 7778-53-2	tripotassium phosphate	≥15–<30%
EINECS: 231-907-1 Reg.nr.: 01-2119971078-30	♠ Eye Dam. 1, H318; ♠ STOT SE 3, H335	
CAS: 1310-58-3	potassium hydroxide	<1%
EINECS: 215-181-3	♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302	-
Reg.nr.: 01-2119487136-33	Specific concentration limits:	
	Skin Corr. 1A; H314: C ≥ 5%	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$	

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
phosphates	≥15 - <30%
phosphonates, non-ionic surfactants, anionic surfactants	<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media The product does not burn

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water spray

Foam

(Contd. on page 4)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 3)

Fire-extinguishing powder

For safety reasons unsuitable extinguishing agents: Full water jet

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Do not store together with acids.

Further information about storage conditions:

Optimum storage temperature 20°C. For details, see the product label.

Storage class (TRGS 510): 8 B

7.3 Specific end use(s) No further relevant information available.

DE_EN-

(Contd. on page 5)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Control potential exposure through measures such as encapsulated or self-contained systems, properly designed and maintained installations and sufficient ventilation standards. Shut down systems and empty pipelines before opening the plant. Wherever possible, shut down and flush the plant before maintenance work. If there is potential for exposure: Ensure that key personnel have been informed regarding the nature of the exposure and basic methods for minimising exposure. Ensure that suitable personal protective equipment is available. In agreement with legal requirements, absorb any spills and dispose of waste. Monitor the effectiveness of control measures; consider the need for health monitoring; identify and implement corrective measures.

Appropriate engineering controls No further data; see section 7.

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(EN 136/140/141/145/143/149)

Hand protection

The protective gloves to be used must satisfy the specification of EC Directive 89/686/EEC and the resulting EN374 standard.



Protective gloves

Material of gloves

Recommended thickness of the material: > 0.7 mm

Nitrile rubber, NBR

Penetration time of glove material Penetration time: > 480 min.

Eye/face protection



Tightly sealed goggles (EN 166)

DE_EN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colourless to yellow

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Not relevant

Boiling point or initial boiling point and

boiling range 100 °C

Flammability Not applicable.

Lower and upper explosion limit

Lower:

Upper:

Not applicable.

Not applicable.

Flash point:

Not relevant

Decomposition temperature:

pH at 20 °C

13,2

Viscosity:

Kinematic viscosity

Not determined.

Not determined.

Solubility

water: Fully miscible.

Partition coefficient n-octanol/water (log

value) Not determined.

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

Density at 20 °C: 1,4 g/cm³
Vapour density Not relevant

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition Softening point/range

Oxidising properties Not relevant Evaporation rate Not relevant

Information with regard to physical hazard

classes

Explosives Void **Flammable gases** Void

(Contd. on page 7)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 6)

Aerosols Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void **Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals

Corrosive to metals May be corrosive to metals.

Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: Thermal decomposition above 230 °C.

10.3 Possibility of hazardous reactions Exothermic reaction with: Acids

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Do not store together with acids.

10.6 Hazardous decomposition products:

Thermal decomposition can cause the release of irritant gases and vapours.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
CAS: 7778-53-2 tripotassium phosphate		
Dermal	LD50	7340 mg/kg (Rabbit)
CAS: 1310-58-3 potassium hydroxide		
Oral	LD50	333–388 mg/kg (Rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 7)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

	Aquatic toxicity:			
	CAS: 7778-53-2 tripotassium phosphate			
Ì	LC50/96h	>100 mg/l (Fish)		
	EC50/48h	>100 mg/l (Daphnia)		
	EC50/72h	>100 mg/l (Algae)		

12.2 Persistence and degradability

Biodegradability according to OECD >80 %

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment No further relevant information available.

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

COD-value: 125,00 g/kg

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

DE_EN

(Contd. on page 9)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 8)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Euro	European waste catalogue		
HP4	Irritant - skin irritation and eye damage		
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity		

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN3266

14.2 UN proper shipping name

ADR 3266 CORROSIVE LIQUID, BASIC, INORGANIC,

N.O.S. (tripotassium phosphate)

IMDG CORROSIVE LIQUID, BASIC, INORGANIC,

N.O.S. (tripotassium phosphate)

IATA Corrosive liquid, basic, inorganic, n.o.s.

(tripotassium phosphate)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 8 Corrosive substances.

Label 8

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B

Segregation groups (SGG18) Alkalis

Stowage Category A

Stowage Code SW2 Clear of living quarters.

Segregation Code SG35 Stow "separated from" SGG1-acids

(Contd. on page 10)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 9)

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Transport category 2
Tunnel restriction code E

IMDG

Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation": UN 3266 CORROSIVE LIQUID, BASIC,

INORGANIC, N.O.S. (TRIPOTASSIUM

PHOSPHATE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX I (Ozone- depleting potential)

Technical instructions (air):

Class	Share in %
NK	<1

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Detergents Regulation (EC) no. 648/2004

The surfactants in this formula meet the conditions of biodegradability as established in the Detergents Regulation (EC) no. 648/2004. Documents confirming this are kept available for responsible authorities of member states and are only provided at their direct request.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is correct to the best of our knowledge at the time of printing. The information is intended to provide you with reference points for the safe handling of the product specified in this safety data sheet when storing, processing, transporting and disposing of it.

(Contd. on page 11)

Printing date 06.02.2024 Version number 3.0 (replaces version 2.0) Revision: 05.01.2024

Trade name: Hellmanex III

(Contd. of page 10)

The information is not transferable to other products. Insofar as the product is mixed or processed with other materials, or is subject to processing, the information in this safety data sheet, unless expressly indicated otherwise, cannot be transferred to the resulting new material.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS: +49 7631 182 1010; www.hellma.com

Contact: +49 7631 182 1010; www.hellma.com

Date of previous version: 05.01.2023 Version number of previous version: 2.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

DE_EN-